

Locked and Loaded

New! SC Series Meters

The new clamp meter line from Fieldpiece is packed with the measurements HVACR professionals need to perform at their highest level. With fast temperature response, they move easily from hot rooftops to cold walk-ins without affecting accuracy, while the rugged casing holds up to rough HVACR working conditions.

Whether it's a compact meter for tight spaces, or the loaded meter with all the bells and whistles, Fieldpiece has the perfect meter so HVACR pros can do more — everyday.

SC600 Series Loaded Clamp Meter Line			SC400 Series	SC400 Series Essential Clamp Meter Line			SC200 Series Compact Clamp Meter Line			
			Essential Clamp Meter Li							
	SC620	SC640		SC420	SC440		SC220	SC240	SC260	
Volts AC/DC	•	•	Volts AC/DC	•	•	Volts AC/DC	•	•	•	
True RMS		•	True RMS		•	True RMS			•	
Inrush		•	Inrush		•	400 Amps AC	•	•	•	
Swivel Clamp	•	•	Duty Cycle %	•	•	Magnetic Hanger			•	
Magnetic Strap	•	•	400 Amps AC	•	•	Temperature °F/°C		•	•	
Probe Storage	•	•	Magnetic Strap		•	Capacitance		•	•	
Dual Display	•	•	Dual Display	•	•	Microamps DC	•			
Temperature °F/°C	•	•	Temperature °F/°C	•	•	Non Contact Voltage	•	•	•	
Capacitance	•	•	Capacitance	•	•	40 Mega Ohm with				
Duty Cycle %	•	•	Microamps DC	•	•	0.01 Resolution	<u> </u>		•	
400 Amps AC	•	•	Frequency via Leads/Clamp	•	•	Continuity	•	•	•	
Microamps DC	•	•	Non Contact Voltage	•	•	Diode Test	•	•	•	
Frequency via Leads/Clamp	•	•	50 Mega Ohm with		•	Max/Min		•	•	
Non Contact Voltage	•	•	0.1 Resolution			Hold	•	•	•	
50 Mega Ohm with			Continuity	•	•	LCD Backlight			•	
0.1 Resolution	•	•	Diode Test	•	•	Low Battery Indicator	•	•	•	
Continuity	•	•	Hold	•	•	Battery: 9V, 150 hrs			•	
Diode Test	•	•	Clamp Probe Holder	•	•	Battery: 9V, 200 hrs	•	•		
Hold	•	•	Clamp Jaw Light		•	Compliance with UL	•	•	•	
Clamp Probe Holder	•	•	LCD Backlight		•	3rd Edition				
Dial Backlight		•	Low Battery Indicator	•	•					
Clamp Jaw Light		•	Battery: 9V, 100 hrs		•					
LCD Backlight		•	Battery: 9V, 200 hrs	•						
Low Battery Indicator	•	•	Compliance with UL							
Battery: 9V, 100 hrs		•	3rd Edition							
Battery: 9V, 200 hrs	•									
Compliance with UL 3rd Edition	•	•								

HVACR Clamps Techs Trust

Packed with more features and measurements than any clamp meter in the HVACR industry, the loaded SC600 series features lead storage, a swivel head, test lead holder for safer testing, and a heavy duty magnetic strap.

- Top-of-the-Line Meter
- Swivel-Head Clamp
- Magnetic Strap
- Lead Storage
- Dual Display
- Clamp Test-Lead Holder
- Frequency via Leads & Clamps
- Dial Backlight (SC640)
- Jaw Flashlight (SC640)
- LCD Backlight (SC640)



Dial Backlight Lights up Selector Switch for Poorly Lit Places (SC640)



Fieldpiece

106.7

Convenient Lead Storage





Do More with Compact Meters

The SC200 Series are compact meters that easily fit in a pocket or glove box.

These auto-ranging meters are affordable and convenient for HVACR electrical testing.

- Economical, Compact Meter
- Microamps DC (SC220)
- Volts AC/DC
- Non Contact Voltage Indicator
- True RMS (SC260)
- Magnetic Hanger (SC260)



Type K Thermocouple Plugs Directly into Meter (SC240/SC260)



Ohm Out a Compressor



Built in Magnetic Hanger (SC260)







SC26



The Most Comprehensive Line of HVACR Instruments in the Industry

